



We know how to make a big Impaq: 700 watt 3D Blu-ray solution

Impaq 7300 "5.1-Set L"

For everyone who loves movies as much as we do, Blu-ray remains the gold standard. That's why we've created the biggest Impaq of them all. Along with a larger size, it's jam packed with technological and acoustic features on an even grander scale than its predecessors.

€ 1249.⁹⁹ (MSRP)

Available colors: Zwart
plus delivery costs: € 29.99 innerhalb Deutschlands

Highlights:

- Complete home cinema set with surround sound that brings the action to your living room
- Ultra compatible system capable of both streaming and playing a wide range of digital media formats
- Easy set-up with connectivity to a variety of devices including televisions, PCs and game consoles
- Remarkably transparent and full sound thanks to loudspeakers with 2 midrange drivers, a larger tweeter, powerful bass and balanced tuning
- High-impact amplifier for a commanding sound – the best in its class

Description

Ready to go

Enjoy movies in HD, 3D and genuine 5.1 surround sound from all sides – this set contains everything you'll need. Compared to the purchase of individual components, **you'll save not only money, but nerves and time**.

It all connects

TVs, HD receivers, PCs, game consoles, docking stations – **this system connects to just about any source device**. The following inputs and outputs are at your disposal: 2 HDMI inputs, one analogue audio, and two digital audio inputs (coaxial and optical), an HDMI output, one video and two audio outputs. **The Impaq 7300 is a veritable home cinema nerve centre.**

If you connect your television to the Impaq 7300 over the HDMI, the audio signal from the television will be sent back to the Impaq. There is therefore **no need for additional cables**. In addition, the volume can be easily adjusted with your regular TV remote.

There's no need to convert any files. Simply connect a USB storage device and you're on your way.

Bringing the action to your living room

The Impaq 7300 offers the **best sound in its class**. The identically equipped prize-winning Columa 300 Mk2 column speakers/satellites are made from solid aluminium for less resonance and distortion. The 2-way system comes with two midrange drivers for **extremely transparent voice reproduction**. An especially large tweeter is capable of rendering intense sounds like explosions with natural and intense clarity. The same driver construction in the centre guarantees all-encompassing surround sound. It goes without saying that the Impaq 7300 is also **ideally suited for music**. Balanced tuning ensures a full and natural sound.

Impaq's high-performance amplifier powers the loudspeakers and subwoofer for a commanding effect. Feel like an actual spectator at televised sporting events, enjoy a cinema experience at home, and music that sounds like it's being played live. The 7.1 pre-outs allow additional active loudspeakers to be connected (this can be done cable-free with the RearStation 4) for a 7.1 setup or to listen to music in another room.

Stream videos, music and photos

Impaq 7300 can access external hard drives and play the movies, music or display the photos stored there. What's more: You can connect your smart phone to your home network and use the Impaq 7300 to stream videos to your television.

The Impaq® 7300 5.1 can be ordered either as a set with four standing columns (set L) or two columns and two satellite speakers that fit easily on a shelf (set M).

Technical details

- 5.1 Complete Blu-ray system with the best sound in its class
- Integrated Blu-ray player with 3D & network streaming (DLNA compatible)

- XXL 700 watt receiver with radio, USB, 5 inputs & 7.1 option
- Massive, powerful and yet slender aluminium column loudspeakers come with set L (4) and M (2 plus 2 satellite speakers)
- Downfire Subwoofer for a high-impact, deep bass
- Recommended for rooms up to 30 m²

The following formats including HD sound are supported by the Impaq 7300:

- Media: Blu-ray (including BD Live), DVD, CD, USB stick/HDD
- Sound Formats: Dolby (TrueHD, digital, digital Plus, Pro Logic 2) DTS (-HD Master, DTS)
- Video Formats: MPEG1, 2, 4, DivX, DivXHD, Xvid, AVC/H.264, WMV, MKV, AVI, FLV, RealMedia
- Image Formats: JPEG, GIF, BMP
- Audio Formats: FLAC, WMA, MP3, WAV, OGG, AAC, M4A, Apple Lossless

Included components

- 4 x Column Speaker CL 302 FR (pc.)
- 1 x Blu-ray Receiver IP 7000 BR
- 1 x FM-Antenna for IP 7000 BR
- 1 x Remote Control IP 7000 BR
- 1 x Center-Speaker Cable IP 7000 BR 2m
- 1 x Front Speaker Cable Left IP 7000 BR 4m
- 1 x Front Speaker Cable Right IP 7000 BR 4m
- 1 x Rear Speaker Cable Left IP 7000 BR 7m
- 1 x Rear Speaker Cable Right IP 7000 BR 7m
- 1 x Sub Speaker Cable IP 7000 BR 6m
- 1 x Mono-Subwoofer US 2108/0 SW
- 1 x Centre Speaker CL 302 C

Technical Data

Centre Speaker CL 302 C:

Speaker	Continuous power handling (IEC - Long Term)	80 Watt
	Peak power capacity (IEC - Short Term)	100 Watt
	Sensitivity (2.83 V / 1 m)	84 dB
	Minimum amplifier output power recommended	20 Watt
	Maximum sound pressure level	96 dB/1m
	Impedance	4 - 8 Ohm
	Frequency range from/to	120 - 20000 Hz
	Crossover frequency to Woofer (recommended)	150 Hz
	Tweeter (number per enclosure)	1
	Tweeter (diameter)	19.00 mm
	Tweeter (material)	Fabric
	Bass/Midrange driver (number per enclosure)	2
	Bass/Midrange driver (diameter)	70.00 mm
	Bass/Midrange driver (material)	Cellulose, coated
	Acoustic principle	2-way
	Enclosure type	Closed
	Enclosure material	Aluminium
	Enclosure surface	Matte, metallic lacquer
	Net internal volume	2.90 Litres
	Wall mounting brackets	Yes
	Keyhole plate mounted	Yes
	Magnetic shielding	Yes
	Terminal clamps	Screw terminals, gold plated
	Maximum cable diameter	2.50 mm
	Suitable for AV receiver	Yes
Dimensions	Depth	12.60 cm
	Width	39.20 cm
	Height	8.50 cm
	Weight	1.40 kg

Mono-Subwoofer US 2108/0 SW:

Speaker	Sensitivity (2.83 V / 1 m)	87 dB
	Maximum sound pressure level	112 dB/1m
	Frequency range from/to	40 - 250 Hz
	Woofer (number per enclosure)	1
	Woofer (diameter)	200.00 mm
	Woofer (material)	Zellulose, beschichtet
	Miscellaneous	Mit der Klippelmesstechnik

		optimiert
	Acoustic principle	1-Weg
	Enclosure type	Bassreflex
	Enclosure material	MDF
	Enclosure surface	Folie
	Equalisation openings	1
	Equalisation openings (pos.)	Unten
	Net internal volume	24 Litres
	Integrated stand	Yes
	Magnetic shielding	Yes
	Terminal clamps	Schraubklemmen
	Maximum cable diameter	4.00 mm
	Suitable for AV receiver	Yes
Connections	High Level loudspeaker inputs	1
Electronics	Lowest frequency (-3 dB)	40 Hz
	Miscellaneous	DPU-Technik für starke Bässe ohne Strömungsgeräusche
Dimensions	Depth	28.00 cm
	Width	28.00 cm
	Height	46.50 cm
	Weight	11.65 kg

Column Speaker CL 302 FR (pc.):

Speaker	Continuous power handling (IEC - Long Term)	80 Watt
	Peak power capacity (IEC - Short Term)	100 Watt
	Sensitivity (2.83 V / 1 m)	84 dB
	Minimum amplifier output power recommended	20 Watt
	Maximum sound pressure level	96 dB/1m
	Impedance	4 - 8 Ohm
	Frequency range from/to	120 - 20000 Hz
	Crossover frequency to Woofer (recommended)	150 Hz
	Tweeter (number per enclosure)	1
	Tweeter (diameter)	19.00 mm
	Tweeter (material)	Fabric
	Midrange driver (number per enclosure)	2
	Midrange driver (diameter)	70.00 mm
	Midrange driver (material)	Zellulose, beschichtet
	Bass/Midrange driver (material)	Cellulose, coated
	Acoustic principle	2-way
	Enclosure type	Closed
	Enclosure material	Aluminium

	Enclosure surface	Matte, metallic lacquer
	Net internal volume	2.90 Litres
	Magnetic shielding	Yes
	Terminal clamps	Screw terminals, gold plated
	Maximum cable diameter	2.50 mm
	Suitable for AV receiver	Yes
Dimensions	Depth	12.60 cm
	Width	8.50 cm
	Height	112.00 cm
	Weight	4.50 kg

Blu-ray Receiver IP 7000 BR:

Connections	Digital inputs coaxial	1
	Digital inputs optical	1
	Analogue inputs	1
	Cinch input stereo	1
	Analogue outputs	8
	Cinch output stereo	1
	Cinch output 7.1	1
	High level speaker outputs	6
	Headphone output 3,5mm	1
	Video inputs- HDMI	2
	HDMI Version	1.4b
	Miscellaneous	HDMI 3D
	Video outputs - HDMI	1
	HDMI Version	R1.4b
	Miscellaneous	HDMI 3D
	Video outputs- composite	Yes
	Video outputs- components	Yes
	Video outputs- RGB	Yes
	USB 2.0	1
	LAN	1
Playback	MP2	Yes
	MP3	Yes
	WMA	Yes
	WAV	Yes
	AAC	Yes
	FLAC	Yes
	OGG	Yes
	HDCCD	Yes
	M4A	Yes

	Apple Lossless	Yes
	Dolby Digital	Yes
	Dolby TrueHD	Yes
	Dolby Digital Plus	Yes
	Dolby Pro Logic II	Yes
	DTS	Yes
	DTS-HD Master Audio	Yes
	DTS-HD High Resolution Audio	Yes
	JPEG	Yes
	GIF	Yes
	BMP	Yes
	FLV	Yes
	AVI	Yes
	MPEG1	Yes
	MPEG2	Yes
	MPEG4	Yes
	DivX	Yes
	DivX HD	Yes
	RealMedia	Yes
	Xvid	Yes
	AVC/H.264	Yes
	WMV	Yes
	MKV	Yes
	CD-Audio	Yes
	VCD	Yes
	SVCD	Yes
	DVD-Video	Yes
	DVD-Audio	Yes
	SA-CD	Yes
	Kodak Photo-CD	Yes
	Blu-ray	Yes
	BDMV	Yes
	BDAV	Yes
	Miscellaneous	BD Live
Radio	Radio present	Yes
	Channel memory slot - FM	30
	Channel memory slot - AM	10
	RDS	Yes
	FM - UKW	Yes
Electronics	Amplifier technology	Class D
	Amplifier configuration	5.1
	Amplifier channels	6

	Power output capacity impulse (peak) Satellite	100 W
	Power output capacity impulse (peak) Bass	200 W
	Power output capacity sinus (RMS) Satellite	70 W
	Power output capacity sinus (RMS) Bass	160 W
	Power supply voltage	230 volts
	Standby-Function	Yes
	Standby-Function	Ja
	Standby-Power consumption	0.40 watt
	Maximum power consumption	700 watt
	Mains cable - IEC connector (non-heating device)	Yes
	Safety class	2
	Storage for settings when disconnected	Yes
	Automatic on/off	Yes
	Display	Yes
	OSD	Yes
	Display color	Weiß
	Display type	VFD
	Integrated DSP	Yes
	Integrated DD/dts/PLII-Decoder	Yes
	Integrated True HD/dts HD/DD/dts/PLII-Decoder	Yes
Dimensions	Depth	34.00 cm
	Width	38.50 cm
	Height	10.50 cm
	Weight	2.50 kg

Test reviews

**HEIMKINO 6/7-2014**

Impaq 7300 | "Umgang mit dem System für Jedermann
[ein] Genuss"

**AV-Magazin 05-2014**

Impaq 7300 | "lupenreine [...] Empfehlung für alle
Musik- und Filmfreunde"

Typisch Teufel

✓ 8 Wochen Probehoeren

✓ Up to 12 year guarantee

✓ Direkt vom Hersteller

✓ Online Only

Order online
Customer service **030 / 300 9 300**